

原著論文リスト

Yukio Yoneda, Ph.D.

May 10, 2016

1. Onishi Y., Fukasawa K., Ozaki K., Iezaki T., Yoneda Y. and Hinoi E. (2016) GDF1 is a novel mediator of macrophage infiltration in brown adipose tissue of obese mice. *Biochem. Biophys. Reports*, in press.
2. Takarada T., Kou M., Hida M., Fukumori R., Nakamura S., Kutsukake T., Kuramoto N., Hinoi E. and Yoneda Y. (2016) Protective upregulation of activating transcription factor-3 against glutamate neurotoxicity in neuronal cells under ischemia. *J. Neurosci. Res.* **94**, 378-388. doi: 10.1002/jnr.23723.
3. Takarada T., Nakamichi N., Nakazato R., Kakuda T., Kokubo H., Ikeno S., Nakamura S., Kuramoto N., Hinoi E. and Yoneda Y. (2016) Possible activation by the green tea amino acid theanine of mammalian target of rapamycin signaling in undifferentiated neural progenitor cells in vitro. *Biochem. Biophys. Reports* **5**, 89-95.
4. Takarada T., Nakazato R., Tsuchikane A., Fujikawa K., Iezaki T., Yoneda Y. and Hinoi E. (2016) Genetic analysis of Runx2 function during intramembranous ossification. *Development* **143**, 211-218. doi: 10.1242/dev.128793.
5. Iezaki T., Onishi Y., Ozaki K., Fukasawa K., Takahata, Y., Nakamura Y., Fujikawa K., Takarada T., Yoneda Y., Yamashita Y., Shioi G. and Hinoi E. (2016) The transcriptional modulator interferon-related developmental regulator 1 in osteoblasts suppresses bone formation and promotes bone resorption. *J. Bone Miner. Res.* **31**, 573-584. doi: 10.1002/jbmr.2720.
6. Takarada T., Ogura M., Nakamichi N., Kakuda T., Nakazato R., Kokubo H., Ikeno S., Nakamura S., Kutsukake T., Hinoi E. and Yoneda Y. (2016) Upregulation of Slc38a1 gene along with promotion of neurosphere growth and subsequent neuronal specification in undifferentiated neural progenitor cells exposed to theanine. *Neurochem. Res.* **41**, 5-15. doi: 10.1007/s11064-015-1591-4.
7. Ozaki K., Okamoto M., Fukasawa K., Iezaki T., Onishi Y., Yoneda Y., Sugiura M. and Hinoi E. (2015) Daily intake of β -cryptoxanthin prevents bone loss by preferential disturbance of osteoclastic activation in ovariectomized mice. *J. Pharmacol. Sci.* **129**, 72-77. doi: 10.1016/j.jphs.2015.08.003.
8. Fujikawa K., Fukumori R., Nakamura S., Kutsukake T., Takarada T. and Yoneda Y. (2015) Potential interactions of calcium-sensitive reagents with zinc ion in different cultured cells. *PLoS ONE* **10**, e0127421.
9. Nakazato R.*, Takarada T.*, Ikeno S., Nakamura S., Kutsukake T., Hinoi E. and Yoneda Y. (2015) Upregulation of runt-related transcription factor-2 through CCAAT enhancer binding protein-beta signaling pathway in microglial BV-2 cells exposed to ATP. *J. Cell. Physiol.* **230**, 2510-2521. *Equally contributed. doi: 10.1002/jcp.24988

10. Takarada T., Nakamichi N., Kakuda T., Nakazato R., Kokubo H., Ikeno S., Nakamura S., Hinoi E. and Yoneda Y. (2015) Daily oral intake of theanine prevents the decline of 5-bromo-2'-deoxyuridine incorporation in hippocampal dentate gyrus with concomitant alleviation of behavioral abnormalities in adult mice with severe traumatic stress. *J. Pharmacol. Sci.* **127**, 292-297.
11. Hinoi E., Iezaki T., Ozaki K. and Yoneda Y. (2014) Nuclear factor- κ B is a common upstream signal for growth differentiation factor-5 expression in brown adipocytes exposed to pro-inflammatory cytokines and palmitate. *Biochem. Biophys. Res. Commun.* **452**, 974-979.
12. Hinoi E., Iezaki T., Fujita H., Watanabe T., Odaka Y., Ozaki K. and Yoneda Y. (2014) PI3K/Akt is involved in brown adipogenesis mediated by growth differentiation factor-5 in association with activation of the Smad pathway. *Biochem. Biophys. Res. Commun.* **450**, 255-260.
13. Nakazato R.*, Takarada T.*, Watanabe T., Nguyen B.T., Ikeno S., Hinoi E. and Yoneda Y. (2014) Constitutive and functional expression of runt-related transcription factor-2 by microglial cells. *Neurochem. Int.* **74**, 24-35. *Equally contributed.
14. Kubo M., Fukui M., Ito Y., Kitao T., Shirahase H., Hinoi E. and Yoneda Y. (2014) Insulin sensitization by a novel partial peroxisome proliferator-activated receptor γ agonist with protein tyrosine phosphatase 1D inhibitory activity in experimental osteoporotic rats. *J. Pharmacol. Sci.* **124**, 276-285.
15. Hinoi E., Nakamura Y., Takada S., Fujita H., Iezaki T., Hashizume S., Takahashi S., Odaka Y., Watanabe T. and Yoneda Y. (2014) Growth differentiation factor-5 promotes brown adipogenesis in systemic energy expenditure. *Diabetes* **63**, 162-175. doi: 10.2337/db13-0808.
16. Takarada T., Hinoi E., Nakazato R., Ochi H., Xu C., Tsuchikane A., Takeda S., Karsenty G., Abe T., Kiyonari H. and Yoneda Y. (2013) An analysis of skeletal development in osteoblast- and chondrocyte-specific Runx2 knockout mice. *J. Bone Miner. Res.* **28**, 2064-2069. doi: 10.1002/jbmr.1945.
17. Nguyen Q.L.*, Nguyen T.B.*, Takarada T., Takarada-Iemata M., Hinoi E. and Yoneda Y. (2013) A negative correlation between Per1 and Sox6 expression during chondrogenic differentiation in pre-chondrocytic ATDC5 cells. *J. Pharmacol. Sci.* **122**, 318-325. *Equally contributed.
18. Fukumori R.*, Takarada T.*, Nakazato R., Fujikawa K., Kou M., Hinoi E. and Yoneda Y. (2013) Selective inhibition by ethanol of mitochondrial calcium influx mediated by uncoupling protein-2 in relation to *N*-methyl-D-aspartate cytotoxicity in cultured neurons. *PLoS ONE* **8**, e69718. *Equally contributed.
19. Takarada T.*, Kou M.*, Nakamichi N., Ogura M., Ito Y., Fukumori R., Kokubo H., Acosta G.B., Hinoi E. and Yoneda Y. (2013) Myosin VI reduces proliferation, but not differentiation, in pluripotent P19 cells. *PLoS ONE* **8**, e63947. *Equally contributed.
20. Nakamura Y.*, Hinoi E.*, Iezaki T., Takada S., Hashizume S., Takahata Y., Tsuruta E., Takahashi S. and Yoneda Y. (2013) Repression of adipogenesis through promotion of Wnt/ β -catenin signaling by TIS7 up-regulated in adipocytes under hypoxia. *BBA Mol. Basis Dis.* **1832**, 1117-1128. *Equally contributed.
21. Fujita H.*, Hinoi E.*, Watanabe T., Iezaki T., Takamori M., Ogawa S. and Yoneda Y. (2013) Prevention of bone loss after ovariectomy in mice with preferential overexpression of the transcription factor Paired box-5 in osteoblasts. *Biol. Pharm. Bull.* **36**, 481-484. *Equally contributed.
22. Kikuta M., Shiba T., Yoneyama M., Kawada K., Yamaguchi T., Hinoi E., Yoneda Y. and Ogita K. (2013) In vivo and in vitro treatment with edaravone promotes proliferation of neural

progenitor cells generated following neuronal loss in the mouse dentate gyrus. *J. Pharmacol. Sci.* **121**, 74-83.

23. Iitsuka I., Motoyoshi-Yamashiro A., Moriyama M., Kannan-Hayashi Y., Fujimoto Y., Takano K., Murakami K., Yoneda Y. and Nakamura Y. (2012) Extracellular superoxide dismutase in cultured astrocytes: decrease in cell-surface activity and increase in medium activity by lipopolysaccharide-stimulation. *Neurochem. Res.* **37**, 2108-2116.
24. Hinoi E., Nakatani E., Yamamoto T., Iezaki T., Takahata Y., Fujita H., Ishiura R., Takamori M. and Yoneda Y. (2012) The transcription factor paired box-5 promotes osteoblastogenesis through direct induction of Osterix and Osteocalcin. *J. Bone Miner. Res.* **27**, 2526-2534.
25. Ogura M.*, Kakuda T.*, Takarada T.*, Nakamichi N., Fukumori R., Kim Y.H., Hinoi E. and Yoneda Y. (2012) Promotion of both proliferation and differentiation in pluripotent P19 cells with stable overexpression of the glutamine transporter Slc38a1. *PLoS ONE* **7**, e48270. *Equally contributed.
26. Takarada T., Kodama A., Hotta S., Mieda M., Shimba S., Hinoi E. and Yoneda Y. (2012) Clock genes influence gene expression in growth plate and endochondral ossification in mice. *J. Biol. Chem.* **287**, 36081-36095.
27. Takarada T.*, Nakamichi N.*, Kitajima S., Fukumori R., Nakazato R., Nguyen Q.L., Kim Y.H., Fujikawa K., Kou M. and Yoneda Y. (2012) Promoted neuronal differentiation after activation of alpha4/beta2 nicotinic acetylcholine receptors in undifferentiated neural progenitors. *PLoS ONE* **7**, e46177. *Equally contributed.
28. Takahata Y.*, Hinoi E.*, Takarada T., Nakamura Y., Ogawa S. and Yoneda Y. (2012) Positive regulation by GABA_B receptor subunit-1 of chondrogenesis through acceleration of nuclear translocation of activating transcription factor-4. *J. Biol. Chem.* **287**, 33293-33303. *Equally contributed.
29. Takarada T.*, Nakamichi N.*, Kawagoe H., Ogura M., Fukumori R., Nakazato R., Fujikawa K., Kou M. and Yoneda Y. (2012) Possible neuroprotective property of nicotinic acetylcholine receptors in association with predominant upregulation of glial cell line-derived neurotrophic factor in astrocytes. *J. Neurosci. Res.* **90**, 2074-2085. *Equally contributed.
30. Ogawa K., Takasu K., Shinohara S., Yoneda Y. and Kato A. (2012) Pharmacological characterization of lysophosphatidic acid-induced pain with clinically relevant neuropathic pain drugs. *Eur. J. Pain* **16**, 994-1004.
31. Fukumori R.*, Takarada T.*, Kambe Y., Nakazato R., Fujikawa K. and Yoneda Y. (2012) Possible involvement of mitochondrial uncoupling protein-2 in cytotoxicity mediated by acquired N-methyl-D-aspartate receptor channels. *Neurochem. Int.* **61**, 498-505. *Equally contributed.
32. Fujita H.*, Hinoi E.*, Nakatani E., Yamamoto T., Takarada T. and Yoneda Y. (2012) Possible modulation of process extension by N-methyl-D-aspartate receptor expressed in osteocytic MLO-Y4 cells. *J. Pharmacol. Sci.* **119**, 112-116. *Equally contributed.
33. Iezaki T.*, Hinoi E.*, Yamamoto T., Ishiura R., Ogawa S. and Yoneda Y. (2012) Amelioration by the natural polyamine, spermine, of cartilage and bone destruction in rats with collagen-induced arthritis. *J. Pharmacol. Sci.* **119**, 107-111. *Equally contributed.
34. Fujikawa K.*, Nakamichi N.*, Kato S., Fukumori R., Hida M., Takarada T. and Yoneda Y. (2012) Delayed mitochondrial membrane potential disruption by ATP in cultured rat hippocampal neurons exposed to N-methyl-D-aspartate. *J. Pharmacol. Sci.* **119**, 20-29. *Equally contributed.

35. Takarada T., Takarada-Iemata M., Takahata Y., Yamada D., Yamamoto T., Nakamura Y., Hinoi E. and Yoneda Y. (2012) Osteoclastogenesis is negatively regulated by D-serine produced by osteoblasts. *J. Cell. Physiol.* **227**, 3477-3487.
36. Yamamoto T.*, Hinoi E.*, Fujita H., Iezaki T., Takahata Y., Takamori M. and Yoneda Y. (2012) Natural polyamines spermidine and spermine prevent bone loss through preferential disturbance of osteoclastic activation in ovariectomized mice. *Br. J. Pharmacol.* **166**, 1084-1094. *Equally contributed.
37. Hinoi E., Ochi H., Takarada T., Nakatani E., Iezaki T., Nakajima H., Fujita H., Takahata Y., Hidano S., Kobayashi T., Takeda S. and Yoneda Y. (2012) Positive regulation of osteoclastic differentiation by growth differentiation factor-15 up-regulated in osteocytic cells under hypoxia. *J. Bone Miner. Res.* **27**, 938-949.
38. Tran H.-Y.P., Shin E.-J., Saito K., Nguyen X.-K.T., Chung Y.H., Jeong J.H., Bach J.-H., Park D.H., Yamada K., Nabeshima T., Yoneda Y. and Kim H.-C. (2012) Protective potential of IL-6 against trimethyltin-induced neurotoxicity in vivo. *Free Radic. Biol. Med.* **52**, 1159-1174.
39. Nakamura Y., Nakamichi N., Takarada T., Ogita K. and Yoneda Y. (2012) Transferrin receptor-1 suppresses neurite outgrowth in neuroblastoma Neuro2A cells. *Neurochem. Int.* **60**, 448-457.
40. Gono T.*, Takarada T.*, Fukumori R., Kawaguchi Y., Kaneko H., Hanaoka M., Katsumata Y., Yoneda Y. and Yamanaka H. (2011) NR2-reactive antibody decreases cell viability through augmentation of Ca²⁺ influx in systemic lupus erythematosus. *Arthritis Rheum.* **63**, 3952-3959. *Equally contributed.
41. Shin E.-J., Jeong J.-H., Chung Y.H., Kim W.-K., Ko K.-H., Bach J.-H., Hong J.-S., Yoneda Y. and Kim H.C. (2011) Role of oxidative stress in epileptic seizures. *Neurochem. Int.* **59**, 122-137.
42. Uno K., Takarada T., Takarada-Iemata M., Nakamura Y., Fujita H., Hinoi E. and Yoneda Y. (2011) Negative regulation of osteoblastogenesis through downregulation of runt-related transcription factor-2 in osteoblastic MC3T3-E1 cells with stable overexpression of the cystine/glutamate antiporter xCT subunit. *J. Cell. Physiol.* **226**, 2953-2964.
43. Takahata Y.*, Takarada T.*, Hinoi E., Nakamura Y., Fujita H. and Yoneda Y. (2011) Osteoblastic GABA_B receptors negatively regulate osteoblastogenesis toward disturbance of osteoclastogenesis mediated by receptor activator of nuclear factor-κB ligand in mouse bone. *J. Biol. Chem.* **286**, 32906-32917. *Equally contributed.
44. Nakazato R.*, Takarada T.*, Yamamoto T., Hotta S., Hinoi E. and Yoneda Y. (2011) Selective upregulation of Per1 mRNA expression by ATP through activation of P2X7 purinergic receptors expressed in microglial cells. *J. Pharmacol. Sci.* **116**, 350-361. *Equally contributed.
45. Hinoi E. and Yoneda Y. (2011) Possible involvement of glutamatergic signaling machineries in pathophysiology of rheumatoid arthritis. *J. Pharmacol. Sci.* **116**, 248-256.
46. Nakamura Y.*, Hinoi E.*, Takarada T., Takahata Y., Yamamoto T., Fujita H., Takada S., Hashizume S. and Yoneda Y. (2011) Positive regulation by GABA_BR1 subunit of leptin expression through gene transactivation in adipocytes. *PLoS ONE* **6**, e20167. *Equally contributed.
47. Kambe Y., Nakamichi N., Takarada T., Fukumori R., Nakazato R., Hinoi E. and Yoneda Y. (2011) A pivotal role of mitochondrial free calcium in neurotoxicity mediated by N-methyl-D-aspartate receptors in cultured rat hippocampal neurons. *Neurochem. Int.* **59**, 10-20.
48. Ogura M., Takarada T., Nakamichi N., Kawagoe H., Sako A., Nakazato R. and Yoneda Y. (2011) Exacerbated vulnerability to oxidative stress in astrocytic C6 glioma cells with stable overexpression of the glutamine transporter slc38a1. *Neurochem. Int.* **58**, 504-511.

49. Uno K., Takarada T., Nakamura Y., Fujita H., Hinoi E. and Yoneda Y. (2011) A negative correlation between expression profiles of runt-related transcription factor-2 and cystine/glutamate antiporter xCT subunit in ovariectomized mouse bone. *J. Pharmacol. Sci.* **115**, 309-319.
50. Fukui M.*, Ozawa S.*, Nakamichi N., Nakazato R., Takarada T. and Yoneda Y. (2011) Gradual downregulation of protein expression of the partner GABA_BR2 subunit during postnatal brain development in mice defective of GABA_BR1 subunit. *J. Pharmacol. Sci.* **115**, 45-55. *Equally contributed.
51. Takarada-Iemata M., Takarada T., Nakamura Y., Nakatani E., Hori O. and Yoneda Y. (2011) Glutamate preferentially suppresses osteoblastogenesis than adipogenesis through the cystine/glutamate antiporter in mesenchymal stem cells. *J. Cell. Physiol.* **226**, 652-665.
52. Fukumori R., Takarada T., Nakamichi N., Kambe Y., Kawagoe H., Nakazato R. and Yoneda Y. (2010) Requirement of both NR3A and NR3B subunits for dominant negative properties on Ca²⁺ mobilization mediated by acquired N-methyl-D-aspartate receptor channels into mitochondria. *Neurochem. Int.* **57**, 730-737.
53. Yun J., Koike H., Ibi D., Toth E., Mizoguchi H., Nitta A., Yoneyama M., Ogita K., Yoneda Y., Nabeshima T., Nagai T. and Yamada K. (2010) Chronic restraint stress impairs neurogenesis and hippocampus-dependent fear memory in mice: possible involvement of a brain-specific transcription factor Npas4. *J. Neurochem.* **114**, 1840-1851.
54. Akazawa K., Cui Y., Tanaka M., Kataoka Y., Yoneda Y. and Watanabe Y. (2010) Mapping of regional brain activation in response to fatigue-load and recovery in rats with c-Fos immunohistochemistry. *Neurosci. Res.* **66**, 372-379.
55. Nakamichi N.*, Fukumori R.*, Takarada T., Kambe Y., Yamamoto T., Matsushima N., Moriguchi N. and Yoneda Y. (2010) Preferential inhibition by antidiarrheic 2-methoxy-4-methylphenol of Ca²⁺ influx across acquired N-methyl-D-aspartate receptor channels composed of NR1/NR2B subunit assembly. *J. Neurosci. Res.* **88**, 2483-2493. *Equal contribution.
56. Kambe Y., Nakamichi N., Takarada T., Fukumori R. and Yoneda Y. (2010) Induced tolerance to glutamate neurotoxicity through downregulation of NR2 subunits of N-methyl-D-aspartate receptors in cultured rat striatal neurons. *J. Neurosci. Res.* **88**, 2177-2187.
57. Fukumori R.*, Nakamichi N.*, Takarada T., Kambe Y., Matsushima N., Moriguchi N. and Yoneda Y. (2010) Inhibition by 2-methoxy-4-ethylphenol of Ca²⁺ influx through acquired and native N-methyl-D-aspartate receptor channels. *J. Pharmacol. Sci.* **112**, 273-281. *Equally contributed.
58. Kimura H., Yukitake H., Tajima Y., Suzuki H., Chikatsu T., Morimoto S., Funabashi Y., Omae H., Ito T., Yoneda Y. and Takizawa M. (2010) ITZ-1 a client-selective Hsp90 inhibitor efficiently induces heat shock factor 1 activation. *Chemistry and Biology* **17**, 18-27.
59. Tsuritani K., Takeda J., Sakagami J., Ishii A., Eiksson T., Hara T., Ishibashi H., Koshihara Y., Yamada K. and Yoneda Y. (2010) Cytokine receptor-like factor 1 is highly expressed in damaged human knee osteoarthritic cartilage and is involved in osteoarthritis downstream of TGF- β . *Calcif. Tissue Int.* **86**, 47-57.
60. Ibi D., Nagai T., Koike H., Kitahara Y., Mizoguchi H., Niwa M., Jaaro-Peled H., Nitta A., Yoneda Y., Nabeshima T., Sawa A. and Yamada K. (2010) Combined effect of neonatal immune activation and mutant DISC1 on phenotypic changes in adulthood. *Behav. Brain Res.* **206**, 32-37.
61. Nakatani-Pawlak A., Yamaguchi K., Tatsumi Y., Mizoguchi H. and Yoneda Y. (2009) Neonatal phencyclidine treatment in mice induces behavioral, histological and neurochemical abnormalities in adulthood. *Biol. Pharm. Bull.* **32**, 1576-1583.

62. Otsuka N., Tsuritani K., Sakurai T., Kato K., Matoba R., Itoh J., Okuyama S., Yamada K. and Yoneda Y. (2009) Transcriptional induction and translational inhibition of Arc and Cugbp2 in mice hippocampus after transient global ischemia under normothermic condition. *Brain Res.* **1287**, 136-145.
63. Takarada T., Hojo H., Iemata M., Sahara., Kodama A., Nakamura N., Hinoi E. and Yoneda Y. (2009) Interference by adrenaline with chondrogenic differentiation through suppression of gene transactivation mediated by Sox9 family members. *Bone* **45**, 568-578.
64. Takarada T.*, Tamaki K. *, Takumi T., Ogura M., Ito Y., Nakamichi N. and Yoneda Y. (2009) A protein-protein interaction of stress-responsive myosin VI endowed to inhibit neural progenitor self-replication with RNA binding protein, TLS, in murine hippocampus. *J. Neurochem.* **110**, 1457-1468. *Equal contribution.
65. Ibi D., Nagai T., Kitahara Y., Mizoguchi H., Koike H., Shiraki A., Takuma K., Kamei H., Noda Y., Nitta A., Nabeshima T., Yoneda Y. and Yamada K. (2009) Neonatal polyI:C treatment in mice results in schizophrenia-like behavioral and neurochemical abnormalities in adulthood. *Neurosci. Res.* **64**, 297-305.
66. Koike H., Ibi D., Mizoguchi H., Nagai T., Nitta A., Takuma K., Nabeshima T., Yoneda Y. and Yamada K. (2009) Behavioral abnormality and pharmacologic response in social isolation-reared mice. *Behav. Brain Res.* **202**, 114-121.
67. Nakamichi N., Takarada T. and Yoneda Y. (2009) Neurogenesis mediated by γ -aminobutyric acid and glutamate signaling. *J. Pharmacol. Sci.* **110**, 133-149.
68. Takarada T., Takahata Y., Iemata M., Hinoi E., Uno K., Hirai T., Yamamoto T. and Yoneda Y. (2009) Interference with cellular differentiation by D-serine through antagonism at N-methyl-D-aspartate receptors composed of NR1 and NR3A subunits in chondrocytes. *J. Cell. Physiol.* **220**, 756-764.
69. Nakamichi N., Ishioka Y., Hirai T., Ozawa S., Tachibana M., Nakamura N., Takarada T. and Yoneda Y. (2009) Possible promotion of neuronal differentiation in fetal rat brain neural progenitor cells after sustained exposure to static magnetism. *J. Neurosci. Res.* **87**, 2406-2417.
70. Nakamura Y.*, Takarada T.*, Kodama A., Hinoi E. and Yoneda Y. (2009) Predominant promotion by tacrolimus of chondrogenic differentiation to proliferating chondrocytes. *J. Pharmacol. Sci.* **109**, 413-423. *Equally contributed.
71. Nakanishi Y., Kobayashi D., Asano Y., Sakurai T., Kashimura M., Okuyama S., Yoneda Y., Shapiro S.D. and Takayama K. (2009) Clarithromycin prevents smoke-induced emphysema in mice. *Amer. J. Resp. Crit. Care Med.* **179**, 271-278.
72. Takarada T. and Yoneda Y. (2009) Transactivation by runt related factor-2 of matrix metalloproteinase-13 in astrocytes. *Neurosci. Lett.* **451**, 99-104.
73. Gu B.*, Nakamichi N.*, Zhang W.-S., Nakamura Y., Kambe Y., Fukumori R., Takuma K., Yamada K., Takarada T., Taniura H. and Yoneda Y. (2009) Possible protection by notoginsenoside R1 against neurotoxicity of N-methyl-D-aspartate receptor composed of an NR1/NT2B heteromeric assembly. *J. Neurosci. Res.* **87**, 2145-2156. *Equally contributed.
74. Shin E.-J., Jeong J.H., Kim A.-Y., Koh Y.H., Nah S.-Y., Kim W.-K., Ko K.H., Kim H.J., Wie M.-B., Kwon Y.S., Yoneda Y. and Kim H.-C. (2009) Protection against kainate neurotoxicity by ginsenosides: Attenuation of convulsive behavior, mitochondrial dysfunction, and oxidative stress. *J. Neurosci. Res.* **87**, 710-722.
75. Maeda M., Furuichi Y., Noto T., Matsuoka N., Mutoh S. and Yoneda Y. (2009) Tacrolimus (FK506) suppresses rt-PA-induced hemorrhagic transformation in a rat thrombotic ischemia stroke model. *Brain Res.* **1254**, 99-108.

76. Takahata Y.*, Takarada T.*, Iemata M., Yamamoto T., Nakamura Y., Kodama A. and Yoneda Y. (2009) Functional expression of beta2 adrenergic receptors responsible for protection against oxidative stress through promotion of glutathione synthesis after Nrf2 upregulation in undifferentiated mesenchymal C3H10T1/2 stem cells. *J. Cell. Physiol.* **218**, 268-275. *Equally contributed.
77. Nakamichi N. and Yoneda Y. (2009) Glutamatergic signaling in neurogenesis. *Neurovascular Medicine*, (Maiese K., ed.), pp. 269-288, Oxford University Press, New York.
78. Fukui M.*, Nakamichi N.*, Yoneyama M., Yoshida K., Ozawa S., Kitayama T., Nakamura N., Taniura H. and Yoneda Y. (2008) Up-regulation of ciliary neurotrophic factor receptor expression by GABA_A receptors in undifferentiated neural progenitors of fetal mouse brain. *J. Neurosci. Res.* **86**, 2615-2623. *Equally contributed.
79. Georgiev D.D., Taniura H., Kambe Y., Takarada T. and Yoneda Y. (2008) A critical importance of polyamine site in NMDA receptors for neurite outgrowth and fasciculation at early stages of P19 neuronal differentiation. *Exp. Cell Res.* **314**, 2603-2617.
80. Takahata Y.*, Takarada T.*, Osawa M., Hinoi E., Nakamura Y. and Yoneda Y. (2008) Differential regulation by glycine of cellular maturation in chondrocytes and osteoblasts. *Cell Tissue Res.* **333**, 91-103. *Equally contributed.
81. Yoneyama M.*, Nakamichi N.*, Fukui M., Kitayama T., Georgiev D.D., Makanga J.O., Nakamura N., Taniura H. and Yoneda Y. (2008) Promotion of neural differentiation through activation of NMDA receptors transiently expressed by undifferentiated neural progenitor cells in fetal rat neocortex. *J. Neurosci. Res.* **86**, 2392-2402. *Equally contributed.
82. Fukui M.*, Nakamichi N.*, Yoneyama M., Ozawa S., Fujimori S., Takahata Y., Nakamura N., Taniura H. and Yoneda Y. (2008) Modulation of cellular proliferation and differentiation through GABA_B receptors expressed by undifferentiated neural progenitor cells isolated from fetal mouse brain. *J. Cell. Physiol.* **216**, 507-519. *Equally contributed.
83. Montano A.M., Oikawa H., Tomatsu S., Nishioka T., Vogler C., Gutierrez M.A., Oguma T., Tan Y., Grubb J.H., Dung V.C., Ohashi A., Miyamoto K.I., Orii T., Yoneda Y. and Sly W.S. (2008) Acidic amino acid tag enhances response to enzyme replacement in mucopolysaccharidosis type VII mice. *Mol. Genet. Metab.* **94**, 178-189.
84. Nakamichi N.*, Yoshida K.*, Ishioka Y., Makanga J.O., Fukui M., Yoneyama M., Kitayama T., Nakamura N., Taniura H. and Yoneda Y. (2008) Group III metabotropic glutamate receptor activation suppresses self-replication of undifferentiated neocortical progenitor cells. *J. Neurochem.* **105**, 1996-2012. *Equally contributed.
85. Takarada T. and Yoneda Y. (2008) Glutamate as a signal mediator in bone. *J. Pharmacol. Sci.* **106**, 536-541.
86. Kambe Y., Nakamichi N., Georgiev D.D., Nakamura N., Taniura H. and Yoneda Y. (2008) Insensitivity to glutamate neurotoxicity mediated by N-methyl-D-aspartate receptors in association with delayed mitochondrial membrane potential disruption in cultured rat cortical neurons. *J. Neurochem.* **105**, 1886-1900.
87. Tamaki K., Yamada K., Nakamichi N., Taniura H. and Yoneda Y. (2008) Transient suppression of progenitor cell proliferation through NMDA receptors in hippocampal dentate gyrus of mice with traumatic stress experience. *J. Neurochem.* **105**, 1642-1655.
88. Kakuda T.*, Hinoi E.*, Abe A., Nozawa A., Ogura M. and Yoneda Y. (2008) Theanine, an ingredient of green tea, inhibits [³H]glutamine transport in neurons and astroglia in rat brain. *J. Neurosci. Res.* **86**, 1846-1856. *Equally contributed.

89. Ibi D., Takuma K., Koike H., Mizoguchi H., Tsuritani K., Kuwahara Y., Kamei H., Nagai T., Yoneda Y., Nabeshima T. and Yamada K. (2008) Social isolation rearing-induced impairment of the hippocampal neurogenesis is associated with deficits in spatial memory and emotion-related behaviors in juvenile mice. *J. Neurochem.* **105**, 921-932.
90. Tamaki K., Kamakura M., Nakamichi N., Taniura H. and Yoneda Y. (2008) Upregulation of Myo6 expression after traumatic stress in mouse hippocampus. *Neurosci. Lett.* **433**, 183-187.
91. Takarada T., Hinoi E., Takahata Y. and Yoneda Y. (2008) Serine racemase suppresses chondrogenic differentiation in cartilage in a Sox9-dependent manner. *J. Cell. Physiol.* **215**, 320-328.
92. Takarada T., Hinoi E., Kambe Y., Sahara K., Kurokawa S., Takahata Y. and Yoneda Y. (2007) Osteoblast protects osteoclast devoid of sodium-dependent vitamin C transporters from oxidative cytotoxicity of ascorbic acid. *Eur. J. Pharmacol.* **575**, 1-11.
93. Taniura H., Iijima S., Kambe Y., Georgiev D. and Yoneda Y. (2007) Tex261 modulates the excitotoxic cell death induced by N-methyl-D-aspartate (NMDA) receptor activation. *Biochem. Biophys. Res. Commun.* **362**, 1096-1100.
94. Sugiyama C.*, Nakamichi N.*, Ogura M., Honda E., Maeda S., Taniura H. and Yoneda Y. (2007) Activator protein-1 responsive to the group II metabotropic glutamate receptor subtype in association with intracellular calcium in cultured rat cortical neurons. *Neurochem. Int.* **51**, 467-475. *Equally contributed.
95. Iemata M.*, Takarada T.*, Hinoi E., Taniura H. and Yoneda Y. (2007) Suppression by glutamate of proliferative activity through glutathione depletion mediated by the cystine/glutamate antiporter in mesenchymal C3H10T1/2 stem cells. *J. Cell. Physiol.* **213**, 721-729. *Equally contributed.
96. Taniura H., Sng J.C. and Yoneda Y. (2007) Histone modifications in the brain. *Neurochem. Int.* **51**, 85-91.
97. Takahashi K., Nagai T., Kamei H., Maeda K., Matsuya T., Arai S., Mizoguchi H., Yoneda Y., Nabeshima T., Takuma K. and Yamada K. (2007) Neural circuits containing pallidotegmental GABAergic neurons are involved in the prepulse inhibition of the startle reflex in mice. *Biol. Psychiatry* **62**, 148-157.
98. Uno K.*, Takarada T.*, Hinoi E. and Yoneda Y. (2007) Glutamate is a determinant of cellular proliferation through modulation of nuclear factor E2 p45-related factor-2 expression in osteoblastic MC3T3-E1 cells. *J. Cell. Physiol.* **213**, 105-114. *Equally contributed.
99. Matsushima N.*, Nakamichi N.*, Kambe Y., Takano K., Moriguchi N. and Yoneda Y. (2007) Cytoprotective properties of phenolic antidiarrheic ingredients in cultured astrocytes and neurons of rat brains. *Eur. J. Pharmacol.* **567**, 59-66. *Equally contributed.
100. Ogura M.*, Taniura H.*, Nakamichi N. and Yoneda Y. (2007) Upregulation of the glutamine transporter through transactivation mediated by cAMP/protein kinase A signals toward exacerbation of vulnerability to oxidative stress in rat neocortical astrocytes. *J. Cell. Physiol.* **212**, 375-385. *Equally contributed.
101. Sugiyama C., Kuramoto N., Seko K., Yoneda Y. and Ogita K. (2007) Decreased level of mitochondrial RNA by glutamate in cultured cortical neurons. *Neuroreport* **18**, 827-830.
102. Hinoi E.*, Takarada T.*, Uno K., Inoue M., Murafuji Y. and Yoneda Y. (2007) Glutamate suppresses osteoclastogenesis through the cystine/glutamate antiporter. *Am. J. Pathol.* **170**, 1277-1290. *Equally contributed.
103. Yoneyama M.*, Fukui M.*, Nakamichi N., Kitayama T., Taniura H. and Yoneda Y. (2007) Activation of GABA_A receptors facilitates astroglial differentiation induced by ciliary

- neurotrophic factor in neural progenitors isolated from fetal rat brain. *J. Neurochem.* **100**, 1667-1679. *Equally contributed.
104. Takano K., Tabata Y., Kitao Y., Murakami R., Suzuki H., Yamada M., Iinuma M., Yoneda Y., Ogawa S. and Hori O. (2007) Methoxyflavones protect cells against endoplasmic reticulum (ER) stress and neurotoxin. *Am. J. Physiol. Cell Physiol.* **292**, C353-361.
 105. Moriguchi N.*, Hinoi E.*, Takarada T., Matsushima N., Uno K. and Yoneda Y. (2007) Oral administration of phenolic antidiarrheic ingredients prevents ovariectomy-induced bone loss. *Biochem. Pharmacol.* **73**, 385-393. *Equally contributed.
 106. Hinoi E., Takarada T., Fujimori S., Wang L., Iemata M., Uno K. and Yoneda Y. (2007) Nuclear factor E2 p45-related factor 2 negatively regulates chondrogenesis. *Bone* **40**, 337-344.
 107. Fujimori S., Hinoi E., Takarada T., Iemata M., Takahata Y. and Yoneda Y. (2006) Possible expression of a particular gamma-aminobutyric acid transporter isoform responsive to upregulation by hyperosmolarity in rat calvarial osteoblasts. *Eur. J. Pharmacol.* **550**, 24-32.
 108. Wang L.*, Hinoi E.*, Takemori A., Nakamichi N. and Yoneda Y. (2006) Glutamate inhibits chondral mineralization through apoptotic cell death mediated by retrograde operation of the cystine/glutamate antiporter. *J. Biol. Chem.* **281**, 24553-24565. *Equally contributed.
 109. Hinoi E., Ueshima T., Hojo H., Iemata M., Takarada T. and Yoneda Y. (2006) Upregulation of per mRNA expression by parathyroid hormone through a PKA-CREB-dependent mechanism in chondrocytes. *J. Biol. Chem.* **281**, 23632-23642.
 110. Hinoi E., Takarada T., Tsuchihashi Y., Fujimori S., Moriguchi N., Wang L., Uno K. and Yoneda Y. (2006) A molecular mechanism of pyruvate protection against cytotoxicity of reactive oxygen species in osteoblasts. *Mol. Pharmacol.* **70**, 925-935.
 111. Hinoi E., Fujimori S., Wang L., Hojo H. Uno K. and Yoneda Y. (2006) Nrf2 negatively regulates osteoblast differentiation via interfering with Runx2 dependent transcriptional activation. *J. Biol. Chem.* **281**, 18015-18024.
 112. Goto Y., Taniura H., Yamada K., Hirai T., Sanada N., Nakamichi N. and Yoneda Y. (2006) The magnetism responsive gene Ntan1 in mouse brain. *Neurochem. Int.* **49**, 334-341.
 113. Takano K., Kitao Y., Inagi R., Momoi T., Matsuyama T., Miyata T., Yoneda Y., Iso H., Stern D.M., Hori O. and Ogawa S. (2006) A rat model of human FENIB (familial encephalopathy with neuroserpin inclusion bodies). *Biochem. Biophys. Res. Commun.* **346**, 1040-1047.
 114. Nakamichi N. and Yoneda Y. (2006) Maturation-dependent reduced responsiveness of intracellular free Ca²⁺ ions to repeated stimulation by N-methyl-D-aspartate in cultured rat cortical neurons. *Neurochem. Int.* **49**, 230-237.
 115. Taniura H., Sanada N., Kuramoto N. and Yoneda Y. (2006) A metabotropic glutamate receptor family gene in Dictyostelium discoideum. *J. Biol. Chem.* **281**, 12336-12343.
 116. Ogura M., Nakamichi N., Takano K., Oikawa H., Kambe Y., Ohno Y., Taniura H. and Yoneda Y. (2006) Functional expression of a glutamine transporter responsive to downregulation by lipopolysaccharide through reduced promoter activity in cultured rat neocortical astrocytes. *J. Neurosci. Res.* **83**, 1447-1460.
 117. Taniura H., Sng J.C.G. and Yoneda Y. (2006) Histone modifications in status epilepticus induced by kainate. *Histol. Histopathol.* **21**, 785-791.
 118. Taniura H., Ito M., Sanada N., Kuramoto N., Ohno Y., Nakamichi N. and Yoneda Y. (2006) Chronic vitamin D₃ treatment protects against neurotoxicity by glutamate in association with upregulation of vitamin D receptor mRNA expression in cultured rat cortical neurons. *J. Neurosci. Res.* **83**, 1179-1189.

119. Sng J.C.G., Taniura H. and Yoneda Y. (2006) Histone modifications in kainate-induced status epilepticus. *Eur. J. Neurosci.* **23**, 1269-1282.
120. Moriguchi N.*, Hinoi E.*, Tsuchihashi Y., Fujimori S., Iemata M., Takarada T. and Yoneda Y. (2006) Cytoprotection by pyruvate through an anti-oxidative mechanism in cultured rat calvarial osteoblasts. *Histol. Histopathol.* **21**, 969-977. *Equally contributed.
121. Hirai T.*, Taniura H.*, Goto Y., Ogura M., Sng J.C.G. and Yoneda Y. (2006) Stimulation of ubiquitin-proteasome pathway through the expression of amidohydrolase for N-terminal asparagine (Ntan1) in cultured rat hippocampal neurons exposed to static magnetism. *J. Neurochem.* **96**, 1519-1530. *Equally contributed.
122. Fujimori S., Osawa M., Iemata M., Hinoi E. and Yoneda Y. (2006) Increased GABA transport activity in rat calvarial osteoblasts cultured under hyperglycemic conditions. *Biol. Pharm. Bull.* **29**, 297-301.
123. Ogita K., Nishiyama N., Sugiyama C., Higuchi K., Yoneyama M. and Yoneda Y. (2005) Regeneration of granule neurons after lesioning of hippocampal dentate gyrus: evaluation using adult mice treated with trimethyltin chloride as a model. *J. Neurosci. Res.* **82**, 609-621.
124. Hinoi E., Ohashi R., Miyata S., Kato Y., Iemata M., Hojo H., Takarada T. and Yoneda Y. (2005) Excitatory amino acid transporters expressed by synovial fibroblasts in rats with collagen-induced arthritis. *Biochem. Pharmacol.* **70**, 1744-1755.
125. Platenik J., Balcar V.J., Yoneda Y., Miouduszezewska B., Buchal R., Hynek R., Killianek L., Kuramoto N., Wilczynski G., Ogita K., Nakamura Y. and Kaczmarek L. (2005) Apparent presence of Ser133-phosphorylated cyclic AMP response element binding protein (CREB) in brain mitochondria is due to cross-reactivity of pCREB antibodies with pyruvate dehydrogenase. *J. Neurochem.* **95**, 1446-1460.
126. Wang L. *, Hinoi E. *, Takemori A., Takarada T. and Yoneda Y. (2005) Abolition of chondral mineralization by group III metabotropic glutamate receptors expressed in rodent cartilage. *Br. J. Pharmacol.* **146**, 732-743. *Equally contributed.
127. Takano K., Ogura M., Yoneda Y. and Nakamura Y. (2005) Oxidative metabolites are involved in polyamine-induced microglial cell death. *Neuroscience* **134**, 1123-1131.
128. Kamakura M., Tamaki K., Sakaki T. and Yoneda Y. (2005) Increase of AMPA receptor glutamate receptor 1 subunit and B-cell receptor associated protein 31 gene expression in hippocampus of fatigued mice. *Neurosci. Lett.* **387**, 1-4.
129. Sng J.C.G., Taniura H. and Yoneda Y. (2005) Inhibition of histone deacetylation by trichostatin A intensifies the transcriptions of neuronal c-fos and c-jun genes after kainate stimulation. *Neurosci. Lett.* **386**, 150-155.
130. Hinoi E. *, Wang L. *, Takemori A. and Yoneda Y. (2005) Functional expression of particular isoforms of excitatory amino acid transporters by rodent cartilage. *Biochem. Pharmacol.* **70**, 70-81. *Equally contributed.
131. Wang L. *, Hinoi E. *, Takemori A. and Yoneda Y. (2005) Release of endogenous glutamate by AMPA receptors expressed in cultured rat costal chondrocytes. *Biol. Pharm. Bull.* **28**, 990-993. *Equally contributed.
132. Kuramoto N., Kubo K., Ogita K., Platenik J., Balcar V.J., Takarada T., Nakamichi N. and Yoneda Y. (2005) Nuclear condensation of cyclic AMP responsive element binding protein in murine discrete brain structures. *J. Neurosci. Res.* **80**, 667-676.
133. Hirai T., Taniura H., Goto Y., Tamaki K., Oikawa H., Kambe Y., Ogura M., Ohno Y., Takarada T. and Yoneda Y. (2005) Counteraction by repetitive daily exposure to static magnetism against sustained blockade of N-methyl-D-aspartate receptor channels in cultured rat hippocampal

- neurons. *J. Neurosci. Res.* **80**, 491-500.
134. Nakamichi N. and Yoneda Y. (2005) Functional proteins involved in regulation of intracellular Ca²⁺ for drug development: Desensitization of N-methyl-D-aspartate receptor channels. *J. Pharmacol. Sci.* **97**, 348-350.
 135. Ogita K., Okuda H., Watanabe M., Nagashima R., Sugiyama C. and Yoneda Y. (2005) In vivo treatment with the K⁺ channel blocker 4-aminopyridine protects against kainate-induced neuronal cell death through activation of NMDA receptors in murine hippocampus. *Neuropharmacol.* **48**, 810-821.
 136. Nakamichi N.* , Kambe Y.* , Oikawa H., Ogura M., Takano K., Tamaki K., Inoue M., Hinoi E. and Yoneda Y. (2005) Protection by exogenous pyruvate through a mechanism related to monocarboxylate transporters against cell death induced by hydrogen peroxide in cultured rat cortical neurons. *J. Neurochem.* **93**, 84-93. *Equally contributed.
 137. Oikawa H., Nakamichi N., Kambe Y., Ogura M. and Yoneda Y. (2005) An increase in intracellular free calcium ions by nicotinic acetylcholine receptors in a single cultured rat cortical astrocyte. *J. Neurosci. Res.* **79**, 535-544.
 138. Takano K., Ogura M., Nakamura Y. and Yoneda Y. (2005) Neuronal and glial responses to polyamines in the ischemic brain. *Curr. Neurovasc. Res.* **2**, 213-223.
 139. Hirai T. and Yoneda Y. (2005) Transcriptional regulation of neuronal genes and its effect on neural functions: Gene expression in response to static magnetism in cultured rat hippocampal neurons. *J. Pharmacol. Sci.* **98**, 219-224.
 140. Hinoi E. and Yoneda Y. (2005) Glutamatergic signaling in bone. Yoneda Y. Amino Acid Signaling 04. pp. 103-121. Research Signpost, Kerala.
 141. St'astny F., Tejkalova H., Skuba I., Balcar V.J., Kaiser M. and Yoneda Y. (2005) Quinolinic acid, N-methyl-D-aspartate receptor and schizophrenia: Testing an integrative theory. Yoneda Y. Amino Acid Signaling 04. pp. 67-83. Research Signpost, Kerala.
 142. Acosta G.B., Takarada T. and Yoneda Y. (2005) L-serine in the brain. Yoneda Y. Amino Acid Signaling 04. pp. 17-31. Research Signpost, Kerala.
 143. Ogita K., Nitta Y., Watanabe M., Nakatani Y., Nishiyama N., Sugiyama C. and Yoneda Y. (2004) In vivo activation of c-Jun N-terminal kinase signaling cascade prior to granule cell death induced by trimethyltin in the dentate gyrus of mice. *Neuropharmacol.* **47**, 619-630.
 144. Takarada T., Hinoi E., Fujimori S., Tsuchihashi Y., Ueshima T., Taniura H. and Yoneda Y. (2004) Accumulation of [³H]glutamate in cultured rat calvarial osteoblasts. *Biochem. Pharmacol.* **68**, 177-184.
 145. Kitayama T., Yoneyama M., Tamaki K. and Yoneda Y. (2004) Regulation of neuronal differentiation by N-methyl-D-aspartate receptors expressed in neural progenitor cells isolated from adult mouse hippocampus. *J. Neurosci. Res.* **76**, 599-612.
 146. Takarada T., Hinoi E., Balcar V. J., Taniura H. and Yoneda Y. (2004) Possible expression of functional glutamate transporters in rat testis. *J. Endocrinol.* **181**, 233-244.
 147. Ogita K., Kubo M., Nishiyama N., Watanabe M., Nagashima R. and Yoneda Y. (2004) Enhanced binding activity of nuclear antioxidant-response element through possible formation of Nrf2/Fos-B complex after in vivo treatment with kainate in murine hippocampus. *Neuropharmacol.* **46**, 580-589.
 148. Hirai T. and Yoneda Y. (2004) Functional alterations in immature cultured rat hippocampal neurons after sustained exposure to static magnetic fields. *J. Neurosci. Res.* **75**, 230-240.
 149. Yoneyama M., Kitayama T., Taniura H. and Yoneda Y. (2004) Immunohistochemical detection

by immersion fixation with Carnoy solution of particular non-N-methyl-D-aspartate receptor subunits in murine hippocampus. *Neurochem. Int.* **44**, 413-422.

150. Hinoi H., Takarada T., Tsuchihashi Y. and Yoneda Y. (2004) Glutamate transporters as a drug target. *Curr. Drug Targets* **4**, 211-220.
151. Hirai T., Goto Y., Takarada T., Taniura H. and Yoneda Y. (2004) Modulation by static magnetism of neuronal activity. *Biomedical Rev.* **15**, 21-35.
152. Nakamichi N., Oikawa H., Kambe Y. and Yoneda Y. (2004) Relevant modulation by ferrous ions of N-methyl-D-aspartate receptors in ischemic brain injuries. *Curr. Neurovasc. Res.* **1**, 429-440.
153. Tsuchihashi Y., Hinoi E. and Yoneda Y. (2004) Pyruvate as an endogenous antioxidant. *Recent Res. Dev. Biophys. Biochem.* **4**, 1-13.
154. Sng J.C.G., Taniura H. and Yoneda Y. (2004) A tale of early response genes. *Biol. Pharm. Bull.* **27**, 606-612.
155. Hinoi E., Takarada T. and Yoneda Y. (2004) Glutamate signaling system in bone. *J. Pharmacol. Sci.* **94**, 215-220.
156. Hinoi E., Takarada T., Ueshima T., Tsuchihashi Y. and Yoneda Y. (2004) Glutamate signaling in peripheral tissues. *Eur. J. Biochem.* **271**, 1-13.
157. Inoue K., Kuramoto N., Sugiyama C., Taniura H., Sakata K., Fujinami Y., Ogita K. and Yoneda Y. (2003) Fos-B expression is required for polyamine-induced increase in nuclear activator protein-1 DNA binding in discrete structures of murine brain. *J. Neurosci. Res.* **74**, 199-209.
158. Inoue K., Kuramoto N., Takano K., Taniura H., Sakata K., Ogita K., Shirahata A. and Yoneda Y. (2003) Possible correlation between abilities of a variety of polyamines to increase activator protein-1 DNA binding and to inhibit [³H]spermidine transport in nuclear fractions of murine brain. *Brain Res.* **987**, 126-130.
159. Ogita K., Fujinami Y., Kitano M. and Yoneda Y. (2003) Transcription factor activator protein-1 expressed by kainate treatment can bind to the non-coding region of mitochondrial genome in murine hippocampus. *J. Neurosci. Res.* **73**, 794-802.
160. Takarada T., Balcar V.J., Baba K., Takamoto A., Acosta G. B., Takano K. and Yoneda Y. (2003) Uptake of [³H]L-serine in rat brain synaptosomal fractions. *Brain Res.* **983**, 36-47.
161. Takano K., Nakamura Y. and Yoneda Y. (2003) Microglial cell death induced by a low concentration of polyamines. *Neuroscience* **120**, 961-967.
162. Kuramoto N., Inoue K., Takano K., Taniura H., Sakata K., Ogita K. and Yoneda Y. (2003) A possible novel mechanism underlying temperature-dependent uptake of [³H]spermidine in nuclear fractions of murine brain. *Brain Res.* **981**, 78-84.
163. Hinoi E., Fujimori S. and Yoneda Y. (2003) Modulation of cellular differentiation by N-methyl-D-aspartate receptors in osteoblasts. *FASEB J.* **17**, 1532-1534.
164. Hoshi N., Zhang J.-S., Omaki M., Takeuchi T., Yokoyama S., Wanaverbecq N., Langeberg L.K., Yoneda Y., Scott J.D., Brown D.A. and Higashida H. (2003) AKAP150 signaling complex promotes suppression of the M-current by muscarinic agonists. *Nature Neurosci.* **6**, 564-571.
165. Ogita K., Okuda H., Yamamoto Y., Nishiyama N. and Yoneda Y. (2003) In vivo neuroprotective role of NMDA receptors against kainate-induced excitotoxicity in murine hippocampal pyramidal neurons. *J. Neurochem.* **85**, 1336-1346.
166. Yoneyama M., Kitayama T., Taniura H. and Yoneda Y. (2003) Immersion fixation with Carnoy solution for conventional immunohistochemical detection of particular N-methyl-D-aspartate receptor subunits in murine hippocampus. *J. Neurosci. Res.* **73**, 416-426.

167. Kuramoto N., Gion K., Sanada N. and Yoneda Y. (2003) Xenobiotic response element binding protein expressed in rat brain. *Recent Res. Dev. Biophys. Biochem.* **3**, 599-611.
168. Kuramoto N., Baba K., Gion K., Sugiyama C., Taniura H. and Yoneda Y. (2003) Xenobiotic response element binding enriched in both nuclear and microsomal fractions of rat cerebellum. *J. Neurochem.* **85**, 264-273.
169. Kuramoto N., Inoue K., Gion K., Takano K., Sakata K., Ogita K. and Yoneda Y. (2003) Modulation of DNA binding of nuclear transcription factors with leucine-zipper motifs by particular endogenous polyamines in murine central and peripheral excitable tissues. *Brain Res.* **967**, 170-180.
170. Murakami K., Nakamura Y. and Yoneda Y. (2003) Potentiation by ATP of lipopolysaccharide-stimulated nitric oxide production in cultured astrocytes. *Neuroscience* **117**, 37-42.
171. Nakamura Y., Omaki M., Murakami K. and Yoneda Y. (2003) Involvement of protein kinase C in glutamate release from cultured microglia. *Brain Res.* **962**, 122-128.
172. Kitayama T., Yoneyama M. and Yoneda Y. (2003) Possible regulation by N-methyl-D-aspartate receptors of proliferative progenitor cells expressed in adult mouse hippocampal dentate gyrus. *J. Neurochem.* **84**, 767-780.
173. Kuramoto N., Goto E., Masamune Y., Gion K. and Yoneda Y. (2002) Existence of xenobiotic response element binding in Dictyostelium. *Biochim. Biophys. Acta - Gene Structure and Expression* **1578**, 1-11.
174. Nakamichi N., Ohno H., Nakamura Y., Hirai T., Kuramoto N. and Yoneda Y. (2002) Blockade by ferrous iron of Ca²⁺ influx through N-methyl-D-aspartate receptor channels in immature cultured rat cortical neurons. *J. Neurochem.* **83**, 1-11.
175. Hinoi E., Fujimori S., Yoneyama M. and Yoneda Y. (2002) Blockade by N-methyl-D-aspartate of elevation of activator protein-1 binding after stress in rat adrenal gland. *J. Neurosci. Res.* **70**, 161-171.
176. Hinoi E., Fujimori S., Takarada T., Taniura H. and Yoneda Y. (2002) Facilitation of glutamate release by ionotropic glutamate receptors in osteoblasts. *Biochem. Biophys. Res. Commun.* **297**, 452-458.
177. Ohtani K., Tanaka H., Yoneda Y., Yasuda H., Ito A., Nagata R. and Nakamura M. (2002) In vitro and in vivo antagonistic activities of SM-31900 for the NMDA receptor glycine-binding site. *Brain Res.* **944**, 165-173.
178. Hinoi E., Fujimori S., Takemori A., Kurabayashi H., Nakamura Y. and Yoneda Y. (2002) Demonstration of expression of mRNA for particular AMPA and kainate receptor subunits in immature and mature cultured rat calvarial osteoblasts. *Brain Res.* **943**, 112-116.
179. Hinoi E., Fujimori S., Takemori A. and Yoneda Y. (2002) Cell death by pyruvate deficiency in proliferative cultured calvarial osteoblasts. *Biochem. Biophys. Res. Commun.* **294**, 1177-1183.
180. Fujimori S., Hinoi E. and Yoneda Y. (2002) Functional GABA_B receptors expressed in cultured calvarial osteoblasts. *Biochem. Biophys. Res. Commun.* **293**, 1445-1452.
181. Ogita K., Okuda H., Kitano M., Fujinami Y., Ozaki K. and Yoneda Y. (2002) Localization of activator protein-1 complex with DNA binding activity in mitochondria of murine brain after in vivo treatment with kainate. *J. Neurosci.* **22**, 2561-2570.
182. Hinoi E., Fujimori S., Nakamura Y., Balcar V.J., Kubo K., Ogita K. and Yoneda Y. (2002) Constitutive expression of heterologous N-methyl-D-aspartate receptor subunits in rat adrenal medulla. *J. Neurosci. Res.* **68**, 36-45.
183. Hirai T., Nakamichi N. and Yoneda Y. (2002) Activator protein-1 complex expressed by

- magnetism in cultured rat hippocampal neurons. *Biochem. Biophys. Res. Commun.* **292**, 200-207.
184. Hirai T., Kuramoto N., Maruyama H., Balcar V.J., Nakamura Y. and Yoneda Y. (2002) Potentiation of nuclear activator protein-1 DNA binding following brief exposure to N-methyl-D-aspartate in immature cultured rat hippocampal neurons. *J. Neurosci. Res.* **67**, 523-532.
185. Nakamichi N., Manabe T. and Yoneda Y. (2002) Nuclear degradation of particular Fos family members expressed following injections of NMDA and kainate in murine hippocampus. *Neurochem. Res.* **27**, 131-138.
186. Takamoto A., Quiggin L.B., Lieb I., Shave E., Balcar V.J. and Yoneda Y. (2002) Differences between D- and L-aspartate binding to the Na⁺-dependent binding sites on glutamate transporters in frozen sections of rat brain. *Life Sci.* **70**, 991-1001.
187. Nakamichi N., Ohno H., Kuramoto N. and Yoneda Y. (2002) Dual mechanisms of Ca²⁺ increases elicited by N-methyl-D-aspartate in immature and mature cultured cortical neurons. *J. Neurosci. Res.* **67**, 275-283.
188. Hinoi E., Balcar V.J., Kuramoto N., Nakamichi N. and Yoneda Y. (2002) Nuclear transcription factors in the hippocampus. *Prog. Neurobiol.* **68**, 145-165.
189. Nakamichi N. and Yoneda Y. (2002) Transcription factors and drugs in the brain. *Jap. J. Pharmacol.* **89**, 337-348.
190. Ogita K., Takagi R., Oyama N., Okuda H., Ito F., Okui M., Shimizu N. and Yoneda Y. (2001) Decrease in level of APG-2, a member of the heat shock protein 110 family, in murine brain following systemic administration of kainic acid. *Neuropharmacol.* **41**, 285-293.
191. Manabe T., Kuramoto N., Nakamichi N., Aramachi K., Baba K., Hirai T., Yoneyama M. and Yoneda Y. (2001) Degradation of c-Fos protein expressed by N-methyl-D-aspartic acid in nuclear fractions of murine hippocampus. *Brain Res.* **905**, 34-43.
192. Manabe T., Ogita K., Nakamichi N. and Yoneda Y. (2001) Differential in vitro degradation of particular Fos family members expressed by kainic acid in nuclear and cytosolic fractions of murine hippocampus. *J. Neurosci. Res.* **64**, 34-42.
193. Ogita K., Kitayama T., Okuda H. and Yoneda Y. (2001) Effects of glutathione depletion by 2-cyclohexen-1-one on excitatory amino acids-induced enhancement of activator protein-1 DNA binding in murine hippocampus. *J. Neurochem.* **76**, 1905-1915.
194. Hinoi E. and Yoneda Y. (2001) Expression of GluR6/7 subunits of kainate receptors in rat adenohypophysis. *Neurochem. Int.* **38**, 539-547.
195. Hinoi E., Fujimori S., Nakamura Y. and Yoneda Y. (2001) Group III metabotropic glutamate receptors in rat cultured calvarial osteoblasts. *Biochem. Biophys. Res. Commun.* **281**, 341-346.
196. Hinoi E., Ogita K., Takeuchi Y., Ohashi H., Maruyama T. and Yoneda Y. (2001) Characterization with [³H]quisqualate of group I metabotropic glutamate receptor subtype in rat central and peripheral excitable tissues. *Neurochem. Int.* **38**, 277-285.
197. Balcar V.J., Takamoto A. and Yoneda Y. (2001) Neurochemistry of L-glutamate transport in the CNS: Thirty years of Progress, *The Collection of Czechoslovak Chemical Communications* **66**, 1315-1340.
198. Yoneda Y., Kuramoto N., Kitayama T. and Hinoi E. (2001) Consolidation of transient signals through nuclear transcription factors in the brain. *Prog. Neurobiol.* **63**, 697-719.
199. Manabe T., Kitayama T., Ogita K. and Yoneda Y. (2000) Differential expression and phosphorylation of particular fos family members by kainate in nuclear and cytosolic fractions of murine hippocampus. *Neuroscience* **100**, 453-463.

200. Hinoi E., Ogita K., Takeuchi Y., Ohashi H., Maruyama T. and Yoneda Y. (2000) Direct radiolabeling by [³H]quisqualic acid of group I metabotropic glutamate receptor in rat brain synaptic membranes. *Brain Res.* **881**, 199-203.
201. Yoneda Y., Ogita K., Azuma Y., Kuramoto N., Manabe T. and Kitayama T. (1999) Predominant expression of nuclear activator protein-1 complex with DNA binding activity following systemic administration of N-methyl-D-aspartate in dentate granule cells of murine hippocampus. *Neuroscience* **93**, 19-31.
202. Yoneda Y., Ogita K., Azuma Y., Ikeda M., Tagami H. and Manabe T. (1999) N-methyl-D-aspartate signaling to nuclear activator protein-1 through mechanisms different from those for kainate signaling in murine brain. *Neuroscience* **90**, 519-533.
203. St'astny F., Hinoi E., Ogita K. and Yoneda Y. (1999) Ferrous iron modulates quinolinate-mediated [³H]MK-801 binding to rat brain synaptic membranes in the presence of glycine and spermidine. *Neurosci. Lett.* **262**, 105-108.
204. Okui M., Ide T., Morita K., Funakoshi E., Ito F., Ogita K., Yoneda Y., Kudoh J. and Shimizu N. (1999) High-level expression of the Mnb/Dyrk1A gene in brain and heart during rat early development. *Genomics* **62**, 165-171.
205. Ogita K., Shuto M., Manabe T., Kuramoto N. and Yoneda Y. (1999) Preventive effects of exogenous phospholipases on inhibition by ferrous ions of [³H]MK-801 binding in rat brain synaptic membranes. *Neurochem. Int.* **34**, 193-201.
206. Ogita K., Shuto M., Kuramoto N., Manabe T., Hinoi E., Kitayama T., Sakata K. and Yoneda Y. (1999) Differential inhibition by ferrous ions of [³H]MK-801 binding to native N-methyl-D-aspartate channel in neonatal and adult rat brains. *Brain Res.* **818**, 548-552.
207. Kitayama T., Ogita K. and Yoneda Y. (1999) Sustained potentiation of AP1 DNA binding is not always associated with neuronal death following systemic administration of kainic acid in murine hippocampus. *Neurochem. Int.* **35**, 453-462.
208. Kitayama T., Ogita K., Nomoto M. and Yoneda Y. (1999) Sensitization by prolonged glutathione depletion of kainic acid to potentiate DNA binding of the nuclear transcription factor activator protein-1 in murine hippocampus. *Neurosci. Lett.* **269**, 157-160.
209. Azuma Y., Ogita K. and Yoneda Y. (1999) Constitutive expression of cytoplasmic activator protein-1 with DNA binding activity and responsiveness to ionotropic glutamate signals in the murine hippocampus. *Neuroscience* **92**, 1295-1308.
210. Yoneda Y., Kuramoto N., Azuma Y., Ogita K., Mitani A., Zhang L., Yanase H., Masuda S. and Kataoka K. (1998) Possible involvement of activator protein-1 DNA binding in mechanisms underlying ischemic tolerance in the CA1 subfield of gerbil hippocampus. *Neuroscience* **86**, 79-97.
211. Yoneda Y., Kuramoto N., Azuma Y., Inoue K., Ogita K., Mitani A., Yanase H., Masuda S., Zhang L. and Kataoka K. (1998) Prolongation by bifemelane of potentiation of AP1 DNA binding in hippocampal CA1 subfield of gerbils with transient forebrain ischemia. *J. Neurosci. Res.* **51**, 574-582.
212. Ogita K., Shuto M. and Yoneda Y. (1998) Nitric oxide-independent inhibition by sodium nitroprusside of the native N-methyl-D-aspartate recognition domain in a manner different from that by potassium ferrocyanide. *Neurochem. Int.* **33**, 1-9.

213. Kuramoto N., Azuma Y., Inoue K., Ogita K., Mitani A., Zhang L., Yanase H., Masuda S., Kataoka K. and Yoneda Y. (1998) Correlation between potentiation of AP1 DNA binding and expression of c-Fos in association with phosphorylation of CREB at serine133 in thalamus of gerbils with ischemia. *Brain Res.* **806**, 152-164.
214. Azuma Y., Nishiguchi M., Tagami H., Ogita K. and Yoneda Y. (1999) Possible in vivo crosstalk between transcription factors with zinc-finger and leucine-zipper motifs in murine peripheral but not central excitable tissues. *Neurochem. Int.* **32**, 325-336.
215. Nakamura Y., Tsuji K., Shuto M., Ogita K., Yoneda Y., Shimamoto K., Shibata T. and Kataoka K. (1997) Protection by diphenyliodonium against glutamate neurotoxicity due to blocking of N-methyl-D-aspartate receptors. *Neuroscience* **76**, 459-466.
216. Yoneda Y., Azuma Y., Inoue K., Ogita K., Mitani A., Zhang L., Masuda S., Higashihara M. and Kataoka K. (1997) Positive correlation between prolonged potentiation of binding of double-stranded oligonucleotide probe for the transcription factor AP1 and resistance to transient forebrain ischemia in gerbil hippocampus. *Neuroscience* **79**, 1023-1037.
217. Shuto M., Ogita K. and Yoneda Y. (1997) Modulation by both diphenyliodonium and diphenyleneiodonium of [³H]MK-801 binding to rat brain synaptic membranes. *Neurochem. Int.* **31**, 73-82.
218. Shuto M., Ogita K., Minami T., Maeda H. and Yoneda Y. (1997) Inhibition of [³H]MK-801 binding by ferrous (II) but not ferric (III) ions in a manner different from that by sodium nitroprusside (II) in rat brain synaptic membranes. *J. Neurochem.* **69**, 744-752.
219. Ogita K., Amizuka T., Azuma Y. and Yoneda Y. (1996) Differentiation by magnesium ions of affinities of nuclear proteins for consensus core nucleotide element of the transcription factor c-Myc in murine brain. *Neurochem. Res.* **21**, 201-209.
220. Enomoto R., Ogita K., Kawanami K., Azuma Y. and Yoneda Y. (1996) Simultaneous determination of binding of a variety of radioligands related to ionotropic excitatory amino acid receptors in fetal and neonatal rat brains. *Brain Res.* **723**, 100-109.
221. Azuma Y., Ogita K. and Yoneda Y. (1996) Particular nuclear transcription factors responsive to systemic administration of kainic acid in murine brain. *Neurochem. Int.* **29**, 289-299.
222. Azuma Y., Ogita K. and Yoneda Y. (1996) Binding of double stranded oligonucleotide probes for particular transcription factors with leucine-zipper motifs in discrete brain structures of mice with acquired and inherent spontaneous seizures. *Neurochem. Int.* **29**, 323-333.
223. Yoneda Y., Ogita K., Enomoto R., Kojima S., Shuto M., Shirahata A. and Samejima K. (1995) Search for novel ligands selective at a polyamine recognition domain on the N-methyl-D-aspartate receptor complex using membrane binding techniques. *Brain Res.* **679**, 15-24.
224. Yoneda Y., Han D., Ogita K. and Watanabe A. (1995) Distinction between binding of [³H]triamcinolone acetonide to a ligand binding domain on the glucocorticoid receptor complex in cytosol fractions of brain and liver from the rat with intact adrenals. *Brain Res.* **685**, 105-116.
225. Ogita K. and Yoneda Y. (1995) Detection of DNA binding activities of transcription factors with different protein motifs in nuclear extracts of murine brain by using gel-retardation electrophoresis. *J. Neurochem.* **64**, 1431-1439.
226. Ogita K., Enomoto R., Nakahara F., Ishitsubo N. and Yoneda Y. (1995) A possible role of glutathione as an endogenous agonist at the N-methyl-D-aspartate recognition domain in rat brain. *J. Neurochem.* **64**, 1088-1096.

227. Nakanishi H., Katsuta K., Ueda Y., Takasugi H., Kuno A., Ohkubo M., Ogita K., Yoneda Y., Shirakawa K. and Yoshida K. (1995) Behavioral studies on FR115427, a novel selective N-methyl-D-aspartate antagonist. *Psychopharmacology (Berl)* **117**, 172-177.
228. Kitaichi K., Yamada K., Yoneda Y., Ogita K., Hasegawa T., Furukawa H. and Nabeshima T. (1995) Risperidone prevents the development of supersensitivity, but not tolerance, to phencyclidine in rats treated with subacute phencyclidine. *Life Sci.* **56**, 531-543.
229. Han D., Ogita K. and Yoneda Y. (1995) Potentiation by calcium ions of [³H]MK-801 binding to an ion channel associated with the N-methyl-D-aspartate receptor complex in rat brain. *Neurochem. Int.* **26**, 59-68.
230. Yoneda Y., Suzuki T. and Ogita K. (1994) Differential profiles of binding of a radiolabeled agonist and antagonist at a glycine recognition domain on the N-methyl-D-aspartate receptor ionophore complex in rat brain. *J. Neurochem.* **62**, 102-112.
231. Yoneda Y., Ogita K., Inoue K., Mitani A., Zhang L., Masuda S., Higashihara M. and Kataoka K. (1994) Rapid potentiation of DNA binding activities of particular transcription factors with leucine-zipper motifs in discrete brain structures of the gerbil with transient forebrain ischemia. *Brain Res.* **667**, 54-66.
232. Yoneda Y. and Ogita K. (1994) Rapid and selective enhancement of DNA binding activity of the transcription factor AP1 by systemic administration of N-methyl-D-aspartate in murine hippocampus. *Neurochem. Int.* **25**, 263-271.
233. Yoneda Y., Han D. and Ogita K. (1994) Preferential induction by stress of the N-methyl-D-aspartate recognition domain in discrete structures of rat brain. *J. Neurochem.* **63**, 1863-1871.
234. Yoneda Y., Enomoto R., Ogita K., Kabuto H. and Mori A. (1994) Possible dysfunction of ionotropic glutamate receptors in cerebellum of epileptic E1 mouse brain. *Neurochem. Int.* **25**, 273-285.
235. Yoneda Y., Enomoto R. and Ogita K. (1994) Supporting evidence for negative modulation by protons of an ion channel associated with the N-methyl-D-aspartate receptor complex in rat brain using ligand binding techniques. *Brain Res.* **636**, 298-307.
236. Ogita K. and Yoneda Y. (1994) Partial purification of [³H]glutamate-associating-proteins with sensitivity to displacement by N-methyl-D-aspartate from rat brain. *Neurochem. Int.* **25**, 111-121.
237. Ogita K. and Yoneda Y. (1994) Selective potentiation of DNA binding activities of both activator protein 1 and cyclic AMP response element binding protein through in vivo activation of N-methyl-D-aspartate receptor complex in mouse brain. *J. Neurochem.* **63**, 525-534.
238. Ogita K., Sakamoto T., Han D., Azuma Y. and Yoneda Y. (1994) Discrimination by added ions of ligands at ionotropic excitatory amino acid receptors insensitive to N-methyl-D-aspartate in rat brain using membrane binding techniques. *Neurochem. Int.* **24**, 379-388.
239. Nagata R., Tanno N., Kodo T., Ae N., Yamaguchi H., Nishimura T., Antoku F., Tatsuno T., Kato T., Tanaka Y., Nakamura M., Ogita K. and Yoneda Y. (1994) Tricyclic quinoxalinediones: 5,6-dihydro-1H-pyrrolo[1,2,3-de] quinoxaline-2,3-diones and 6,7-dihydro-1H,5H-pyrrolo[1,2,3-de] quinoxaline-2,3-diones as potent antagonists for the glycine binding site of the NMDA receptor. *J. Med. Chem.* **37**, 3956-3968.
240. Han D., Ogita K., Kashiwai K., Narita S. and Yoneda Y. (1994) Binding of [³H]triamcinolone acetonide to glucocorticoid receptors in brain cytosol fractions of rats with intact adrenals. *Neurochem. Int.* **24**, 339-348.

241. Zuo P., Ogita K., Suzuki T., Han D. and Yoneda Y. (1993) Further evidence for multiple forms of an N-methyl-D-aspartate recognition domain in rat brain using membrane binding techniques. *J. Neurochem.* **61**, 1865-1873.
242. Zuo P., Ogita K., Han D. and Yoneda Y. (1993) Comparative studies on binding of 3 different ligands to the N-methyl-D-aspartate recognition domain in brain synaptic membranes treated with Triton X-100. *Brain Res.* **609**, 253-261.
243. Yoneda Y., Suzuki T., Ogita K., Katoh T., Tanaka H., Maruoka Y. and Nakamura M. (1993) Excitatory amino acid receptor binding in hippocampus of gerbils with transient global brain ischemia. *Brain Res.* **613**, 21-31.
244. Yoneda Y., Suzuki T., Ogita K. and Han D. (1993) Support for radiolabeling of a glycine recognition domain on the N-methyl-D-aspartate receptor ionophore complex by 5,7-^[3H]dichlorokynurenate in rat brain. *J. Neurochem.* **60**, 634-645.
245. Yoneda Y., Ogita K., Kabuto H. and Mori A. (1993) Selectively high expression of the transcription factor AP1 in telencephalic structures of epileptic E1 mice. *Neurosci. Lett.* **161**, 161-164.
246. Suzuki T., Ogita K. and Yoneda Y. (1993) Potentiation by polyamines of an interaction of noncompetitive antagonists at the N-methyl-D-aspartate receptor ionophore complex with phosphatidylserine. *Neurochem. Int.* **23**, 427-440.
247. Kataoka K., Mitani A., Andou Y., Enomoto R., Ogita K. and Yoneda Y. (1993) Binding of ^[3H]MK-801, NMDA-displaceable ^[3H]glutamate, ^[3H]glycine, ^[3H]spermidine, ^[3H]kainate and ^[3H]AMPA to regionally discrete brain membranes of the gerbil: a biochemical study. *Neurochem. Int.* **22**, 37-43.
248. Enomoto R., Ogita K. and Yoneda Y. (1993) Multiplicity of ^[3H]1,3-di-o-tolylguanidine binding sites with low affinity for haloperidol in rat brain. *Biol. Pharm. Bull.* **16**, 989-996.
249. Enomoto R., Ogita K., Han D. and Yoneda Y. (1993) Differential potentiation by spermidine of abilities of a variety of displacers for ^[3H]MK-801 binding in hippocampal synaptic membranes. *Neurosci. Res.* **16**, 217-224.
250. Zuo P., Ogita K. and Yoneda Y. (1992) Presence of the binding of a variety of ligands related to ionotropic excitatory amino acid receptors in rat retina. *Brain Res.* **576**, 168-172.
251. Yoneda Y. and Ogita K. (1992) Attempts to isolate the NMDA receptor complex from rat brain. *Mol. Neuropharmacol.* **2**, 65-70.
252. Tamaru M., Yoneda Y., Ogita K., Shimizu J., Matsutani T. and Nagata Y. (1992) Excitatory amino acid receptors in brains of rats with methylazoxymethanol-induced microencephaly. *Neurosci. Res.* **14**, 13-25.
253. Ogita K., Suzuki T., Ping-ping Z. and Yoneda Y. (1992) Inhibition by calmodulin antagonists of ^[3H]MK-801 binding in brain synaptic membranes. *J. Neurochem.* **59**, 1008-1016.
254. Ogita K., Ohkawara A., Suzuki T., Ohgaki T., Uchida S., Meguri H. and Yoneda Y. (1992) Effects of ifenprodil on the N-methyl-D-aspartate receptor ionophore complex in rat brain. *Neurochem. Int.* **21**, 135-147.
255. Enomoto R., Ogita K., Han D. and Yoneda Y. (1992) Differential modulation by divalent cations of ^[3H]MK-801 binding in brain synaptic membranes. *J. Neurochem.* **59**, 473-481.

256. Akiyama K., Yoneda Y., Ogita K., Itoh T., Daigen A., Sora I., Kohira I., Ujike H. and Otsuki S. (1992) Ionotropic excitatory amino acid receptors in discrete brain regions of kindled rats. *Brain Res.* **587**, 73-82.
257. Yoneda Y., Ogita K., Enomoto R., Suzuki T. and Kito S. (1991) Identification and characterization of specific binding sites of [³H]spermidine in synaptic membranes of rat brain. *Brain Res.* **563**, 17-27.
258. Yoneda Y., Ogita K. and Enomoto R. (1991) Characterization of spermidine-dependent [³H](+)-5-methyl-10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5,10-imine (MK-801) binding in brain synaptic membranes treated with Triton X-100. *J. Pharmacol. Exp. Ther.* **256**, 1161-1172.
259. Yoneda Y. and Ogita K. (1991) Heterogeneity of the N-methyl-D-aspartate receptor ionophore complex in rat brain, as revealed by ligand binding techniques. *J. Pharmacol. Exp. Ther.* **259**, 86-96.
260. Yoneda Y. and Ogita K. (1991) Inhibitory modulation by sodium ions of the N-methyl-D-aspartate recognition site in brain synaptic membranes. *J. Neurochem.* **57**, 2036-2046.
261. Tamaru M., Yoneda Y., Ogita K., Shimizu J. and Nagata Y. (1991) Age-related decreases of the N-methyl-D-aspartate receptor complex in the rat cerebral cortex and hippocampus. *Brain Res.* **542**, 83-90.
262. Ogita K., Kouda T., Suzuki T., Ohkawara A., Enomoto R., Nabeshima T. and Yoneda Y. (1991) Differential effects of SH-reactive agents on [³H](+/-)-3-(2-carboxypiperazin-4-yl)propyl-1-phosphonate and [³H]glutamate binding in brain synaptic membranes treated with triton X-100. *Neurochem. Int.* **18**, 55-62.
263. Ogita K., Suzuki T., Han D. and Yoneda Y. (1991) Solubilization studies on the N-methyl-D-aspartate receptor ionophore complex in rat brain. *Neuro Chem (Life Sci Adv)* **10**, 125-136.
264. Nabeshima T., Katoh A., Ishimaru H., Yoneda Y., Ogita K., Murase K., Ohtsuka H., Inari K., Fukuta T. and Kameyama T. (1991) Carbon monoxide-induced delayed amnesia, delayed neuronal death and change in acetylcholine concentration in mice. *J. Pharmacol. Exp. Ther.* **256**, 378-384.
265. Yoneda Y. and Ogita K. (1990) Biochemical and pharmacological properties of NMDA receptor ion channels in rat brain. *Pharmacol.* **9**, 167-182.
266. Yoneda Y., Ogita K., Suzuki T., Enomoto R., Zuo P. (1990) Competitive inhibition of NMDA-mediated responses by guanine nucleotides in brain synaptic membranes treated with Triton X-100. *Neurosci. Res.* **9**, 114-125.
267. Yoneda Y., Ogita K. and Suzuki T. (1990) Interaction of strychnine-insensitive glycine binding with MK-801 binding in brain synaptic membranes. *J. Neurochem.* **55**, 237-244.
268. Yoneda Y., Ogita K., Kouda T. and Ogawa Y. (1990) Radioligand labeling of N-methyl-D-aspartic acid (NMDA) receptors by [³H](+/-)-3-(2-carboxypiperazin-4-yl)propyl-1-phosphonic acid in brain synaptic membranes treated with Triton X-100. *Biochem. Pharmacol.* **39**, 225-228.
269. Ogita K. and Yoneda Y. (1990) 6,7-Dichloroquinoxaline-2,3-dione is a competitive antagonist specific to strychnine-insensitive [³H]glycine binding sites on the N-methyl-D-aspartate receptor complex. *J. Neurochem.* **54**, 699-702.
270. Ogita K. and Yoneda Y. (1990) Temperature-independent binding of [³H](+/-)-3-(2-carboxypiperazin-4-yl) propyl-1-phosphonic acid in brain synaptic membranes treated by Triton X-100. *Brain Res.* **515**, 51-56.

271. Ogita K. and Yoneda Y. (1990) Solubilization of spermidine-sensitive (+)-[³H]5-methyl-10, 11-dihydro-5H-dibenzo [a,d] cyclohepten-5, 10-imine ([³H]MK-801) binding activity from rat brain. *J. Neurochem.* **55**, 1515-1520.
272. Ogita K., Suzuki T., Enomoto R., Ohgaki T., Katagawa J., Uchida S., Meguri H. and Yoneda Y. (1990) Profiles of [³H]N-[1-(2-thienyl)cyclohexyl]piperidine binding in brain synaptic membranes treated with Triton X-100. *Neurosci. Res.* **9**, 35-47.
273. Ogita K., Nabeshima T. and Yoneda Y. (1990) [³H]thienylcyclohexylpiperidine binding activity in brain synaptic membranes treated with Triton X-100. *J. Neurochem.* **55**, 1639-1646.
274. Yoneda Y., Ogita K., Yamada K., Kouda T., Ohgaki T., Uchida S. and Meguri H. (1989) High concentrations of calmodulin antagonists inhibit accumulation and binding activities of [³H]glutamate in rat brain. *Neurochem. Int.* **15**, 17-23.
275. Yoneda Y., Ogita K., Ohgaki T., Uchida S. and Meguri H. (1989) N-methyl-D-aspartate-sensitive [³H]glutamate binding sites in brain synaptic membranes treated with Triton X-100. *Biochim Biophys Acta* **1012**, 74-80.
276. Yoneda Y. and Ogita K. (1989) Characterization of quisqualate-sensitive [³H]glutamate binding activity solubilized from rat adrenal. *Neurochem. Int.* **15**, 137-143.
277. Yoneda Y. and Ogita K. (1989) Microbial methodological artifacts in [³H]glutamate receptor binding assays. *Anal. Biochem.* **177**, 250-255.
278. Yoneda Y. and Ogita K. (1989) Solubilization of quisqualate-sensitive [³H]glutamate binding activity from rat retina. *J. Neurochem.* **52**, 1501-1507.
279. Yoneda Y. and Ogita K. (1989) Solubilization of stereospecific and quisqualate-sensitive activity of [³H]glutamate binding in the pituitary of the rat. *Neuropharmacology* **28**, 611-616.
280. Yoneda Y. and Ogita K. (1989) Labeling of NMDA receptor channels by [³H]MK-801 in brain synaptic membranes treated with Triton X-100. *Brain Res.* **499**, 305-314.
281. Yoneda Y. and Ogita K. (1989) Abolition of the NMDA-mediated responses by a specific glycine antagonist, 6,7-dichloroquinoxaline-2,3-dione (DCQX). *Biochem. Biophys. Res. Commun.* **164**, 841-849.
282. Ogita K. and Yoneda Y. (1989) Selective potentiation by L-cysteine of apparent binding activity of [³H]glutathione in synaptic membranes of rat brain. *Biochem. Pharmacol.* **38**, 1499-1505.
283. Ogita K., Suzuki T. and Yoneda Y. (1989) Strychnine-insensitive binding of [³H]glycine to synaptic membranes in rat brain, treated with Triton X-100. *Neuropharmacology* **28**, 1263-1270.
284. Ohgaki T., Uchida S., Meguri H., Ogita K. and Yoneda Y. (1988) Preventive action of quisqualic acid against grayanotoxin-induced suppression of locomotor activity in mice. *Neuropharmacology* **27**, 1045-1053.
285. Ogita K. and Yoneda Y. (1988) Disclosure by triton X-100 of NMDA-sensitive [³H] glutamate binding sites in brain synaptic membranes. *Biochem. Biophys. Res. Commun.* **153**, 510-517.
286. Ogita K. and Yoneda Y. (1988) Temperature-dependent and -independent apparent binding activities of [³H]glutathione in brain synaptic membranes. *Brain Res.* **463**, 37-46.
287. Ogita K., Ogawa Y. and Yoneda Y. (1988) Apparent binding activity of [³H]glutathione in rat central and peripheral tissues. *Neurochem. Int.* **13**, 493-497.
288. Ohgaki T., Meguri H., Ogita K. and Yoneda Y. (1987) Tetrodotoxin-insensitive central depression by grayanotoxin-III in mice. *Brain Res.* **425**, 364-368.

289. Ogita K. and Yoneda Y. (1987) Possible presence of [³H]glutathione (GSH) binding sites in synaptic membranes from rat brain. *Neurosci. Res.* **4**, 486-496.
290. Nakamuta H., Ogita K., Fukuda Y., Koida M. and Yoneda Y. (1987) Characterization of [³H]glutamate binding sites on frozen sections from rat adrenal. *Neurochem. Int.* **10**, 565-570.
291. Yoneda Y. and Ogita K. (1987) Are Ca²⁺-dependent proteases really responsible for Cl⁻-dependent and Ca²⁺-stimulated binding of [³H]glutamate in rat brain? *Brain Res.* **400**, 70-79.
292. Yoneda Y. and Ogita K. (1987) Enhancement of [³H]glutamate binding by N-methyl-D-aspartic acid in rat adrenal. *Brain Res.* **406**, 24-31.
293. Yoneda Y. and Ogita K. (1987) Solubilization of novel binding sites for [³H]glutamate in rat adrenal. *Biochem. Biophys. Res. Commun.* **142**, 609-616.
294. Yoneda Y., Ogita K., Nakamuta H., Fukuda Y., Koida M. and Ogawa Y. (1987) Comparative study of [³H]glutamate binding sites in rat retina and cerebral cortex. *Biochem. Pharmacol.* **36**, 772-774.
295. Ogita K., Kitago T., Nakamuta H., Fukuda Y., Koida M., Ogawa Y. and Yoneda Y. (1986) Glutathione-induced inhibition of N^{a+}-independent and -dependent bindings of L-[³H]glutamate in rat brain. *Life Sci.* **39**, 2411-2418.
296. Ogita K. and Yoneda Y. (1986) Characterization of Na⁺-dependent binding sites of [³H]glutamate in synaptic membranes from rat brain. *Brain Res.* **397**, 137-144.
297. Ogita K. and Yoneda Y. (1986) Differentiation of the Ca²⁺-stimulated binding from the Cl⁻-dependent binding of [³H]glutamate in synaptic membranes from rat brain. *Neurosci. Res.* **4**, 129-142.
298. Yoneda Y., Ogita K., Nakamuta H., Koida M., Ohgaki T. and Meguri H. (1986) Possible interaction of [³H]glutamate binding sites with anion channels in rat neural tissues. *Neurochem. Int.* **9**, 521-531.
299. Yoneda Y. and Ogita K. (1986) [³H]glutamate binding sites in the rat pituitary. *Neurosci. Res.* **3**, 430-435.
300. Yoneda Y. and Ogita K. (1986) Localization of [³H]glutamate binding sites in rat adrenal medulla. *Brain Res.* **383**, 387-391.
301. Yoneda Y., Kuriyama K. and Takahashi M. (1985) Modulation of synaptic GABA receptor binding by membrane phospholipids: possible role of active oxygen radicals. *Brain Res.* **333**, 111-122.
302. Yoneda Y., Kanmori K., Takahashi M., Zuo P.P., Paik I.H. and Kuriyama K. (1984) Preferential release of newly synthesized [³H]GABA from striatal slices to preloaded [³H]GABA. *Neurochem. Int.* **6**, 641-649.
303. Takahashi M., Yoneda Y. and Kuriyama K. (1984) Enhancement of gamma-aminobutyric acid (GABA) receptor binding by lipophilic antioxidants. *Brain Res.* **296**, 164-167.
304. Kuriyama K., Kanmori K. and Yoneda Y. (1984) Preventive effect of alcohol against stress-induced alteration in content of monoamines in brain and adrenal gland. *Neuropharmacology* **23**, 649-654.
305. Kuriyama K., Kanmori K., Taguchi J. and Yoneda Y. (1984) Stress-induced enhancement of suppression of [³H]GABA release from striatal slices by presynaptic autoreceptor. *J. Neurochem.* **42**, 943-950.

306. Kuriyama K., Yoneda Y., Taguchi J., Takahashi M. and Ohkuma S. Properties of purified γ -aminobutyric acid (GABA) receptor and modulation of GABA receptor by membrane phospholipids. *Neuropharmacology* **23**, 839-840.
307. Yoneda Y., Kanmori K., Ida S. and Kuriyama K. (1983) Stress-induced alterations in metabolism of γ -aminobutyric acid in rat brain. *J. Neurochem.* **40**, 350-356.
308. Tokunaga H., Yoneda Y. and Kuriyama K. (1983) Streptozotocin-induced elevation of pancreatic taurine content and suppressive effect of taurine on insulin secretion. *Eur. J. Pharmacol.* **87**, 237-243.
309. Yoneda Y. and Roberts E. (1982) A new synaptosomal biosynthetic pathway of proline from ornithine and its negative feedback inhibition by proline. *Brain Res.* **239**, 479-488.
310. Yoneda Y., Roberts E. and Dietz GW, Jr. (1982) A new synaptosomal biosynthetic pathway of glutamate and GABA from ornithine and its negative feedback inhibition by GABA. *J. Neurochem.* **38**, 1686-1694.
311. Yoneda Y. and Kuriyama K. (1980) Presence of a low molecular weight endogenous inhibitor on ^3H -muscimol binding in synaptic membranes. *Nature* **285**, 670-673.
312. Yoneda Y. and Kuriyama K. (1980) Some characteristics of [^3H]muscimol binding to synaptic membrane from rat brain. *Brain Res.* **197**, 554-560.
313. Kuriyama K., Kurihara E., Ito Y. and Yoneda Y. (1980) Increase in striatal [^3H]muscimol binding following intrastriatal injection of kainic acid: a denervation supersensitivity phenomenon. *J. Neurochem.* **35**, 343-348.
314. Kurihara E., Kuriyama K. and Yoneda Y. (1980) Interconnection of GABA-ergic neurons in rat extrapyramidal tract: analysis using intracerebral microinjection of kainic acid. *Exp. Neurol.* **68**, 12-26.
315. Tokunaga H., Yoneda Y. and Kuriyama K. (1979) Protective actions of taurine against streptozotocin-induced hyperglycemia. *Biochem. Pharmacol.* **28**, 2807-2811.
316. Yoneda Y. and Kuriyama K. (1978) A comparison of microdistributions of taurine and cysteine sulphinate decarboxylase activity with those of GABA and L-glutamate decarboxylase activity in rat spinal cord and thalamus. *J. Neurochem.* **30**, 821-825.
317. Kuriyama K. and Yoneda Y. (1978) Morphine induced alterations of γ -aminobutyric acid and taurine contents and L-glutamate decarboxylase activity in rat spinal cord and thalamus: possible correlates with analgesic action of morphine. *Brain Res.* **148**, 163-179.
318. Yoneda Y., Takashima S., Hirai K., Kurihara E., Yukawa Y., Tokunaga H. and Kuriyama K. (1977) Microassay methods for taurine and cysteine sulfinic acid decarboxylase activity. *Jpn. J. Pharmacol.* **27**, 881-888.
319. Yoneda Y., Kuriyama K. and Kurihara E. (1977) Morphine alters distribution of GABA in thalamus. *Brain Res.* **124**, 373-378.
320. Fujimoto S., Iwata H. and Yoneda Y. (1976) Effect of taurine on responses to noradrenaline, acetylcholine and ouabain in isolated auricles from digitalized guinea pigs. *Jpn. J. Pharmacol.* **26**, 105-110.
321. Yoneda Y., Takashima S. and Kuriyama K. (1976) Possible involvement of GABA in morphine analgesia. *Biochem. Pharmacol.* **25**, 2669-2670.